



Price List

TS COFFEE OE
Λ.Θηβών 262, Αιγάλεω
12241, ΑΤΤΙΚΗΣ
2109609330
sales@tscoffee.gr

ceado
coffee ●

ON-DEMAND GRINDERS

E37 Z-BARISTARS



Z-Series On-Demand Coffee Grinders

Voltage	220-240V - 50-60 hz
Power	900 W
Rpm 50hz / 60hz	1480 / 1700
Net weight	18,8 kg
Gross weight	21 kg
Dimensions	200 x 420 x 550h mm
Burrs	Flat ø 83 Red Speed
Hopper capacity (g)	1200
Average output (g/s)	4 (50hz) / 5 (60hz)
Sound proofing	X
Grinding adjustment type	Infinitesimal stepless
Quick Set	X
Quick Set Gear Tech	•
Steady Lock Grinder	•
Magnetic Control	•
Thermal cut-out	•
Fan	•
Grinding thermal control	•
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	•
Touch display	•
Start	Portafilter
Shot counter	•

Available colours *Black, Sand*, White**

Price List
E37Z-Barista
€ 3.200,00

E7P



EP Family On-Demand Coffee Grinders

Voltage	220-240V - 50-60 hz
Power	400 W
Rpm 50hz / 60hz	1480 / 1700
Net weight	10,0 kg
Gross weight	12,0 kg
Dimensions	178 x 212 x 590h mm
Burrs	Flat ø 64
Hopper capacity (g)	1600
Average output (g/s)	3 (50hz) / 3,6 (60hz)
Sound proofing	X
Grinding adjustment type	Micrometrical stepless
Quick Set	X
Quick Set Gear Tech	X
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	X
Grinding thermal control	X
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	•
Touch display	•
Start	Pulse button
Shot counter	•

Available colours *Black, Steel*, White**

Price List
E7P
€ 1.058,00

E6P



Voltage	220-240V - 50-60 hz
Power	300 W
Rpm 50hz / 60hz	1380 / 1650
Net weight	8,0 kg
Gross weight	8,8 kg
Dimensions	178 x 212 x 440h mm
Burrs	Flat ø 64
Hopper capacity (g)	600
Average output (g/s)	1,7 (50hz) / 2 (60hz)
Sound proofing	X
Grinding adjustment type	Micrometrical stepless
Quick Set	X
Quick Set Gear Tech	X
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	X
Grinding thermal control	X
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	•
Touch display	•
Start	Pulse button
Shot counter	•

Available colours *Black, Steel*, White**

Price List
E6P
€ 906,00

E5P



Voltage	220-240V - 50-60 hz
Power	300 W
Rpm 50hz / 60hz	1380 / 1650
Net weight	7,9 kg
Gross weight	8,8 kg
Dimensions	178 x 212 x 440h mm
Burrs	Flat ø 64
Hopper capacity (g)	600
Average output (g/s)	1,7 (50hz) / 2 (60hz)
Sound proofing	X
Grinding adjustment type	Micrometrical stepless
Quick Set	X
Quick Set Gear Tech	X
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	X
Grinding thermal control	X
Dose setting	Digital
Dosing	Free
Adjustable portafilter holder	•
Touch display	•
Start	Pulse button
Shot counter	•

Available colours *Black, Steel*, White**

Price List
E5P
€ 682,00

E6P Brewing



Voltage	220-240V - 50-60 hz
Power	300 W
Rpm 50hz / 60hz	1380 / 1650
Net weight	8,7 kg
Gross weight	10,7 kg
Dimensions	178 x 212 x 440h mm
Burrs	Flat ø 64 Brewing
Hopper capacity (g)	600
Average output (g/s)	2,5 (50hz) / 3 (60hz)
Sound proofing	X
Grinding adjustment type	Micrometrical stepless
Quick Set	X
Quick Set Gear Tech	X
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	X
Grinding thermal control	X
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	WDT Cup holder
Touch display	•
Start	Pulse button
Shot counter	•

Available colours *Black, Steel*, White**

Price List
E6P Brewing
€ 996,00

E37 K



E37 Family On-Demand Coffee Grinders

Voltage	220-240V - 50-60 hz
Power	850 W
Rpm 50hz / 60hz	360 / 290
Net weight	18,4 kg
Gross weight	20,5 kg
Dimensions	212 x 309 x 655h mm
Burrs	Conical ø 71
Hopper capacity (g)	1600
Average output (g/s)	5,5 (50hz) / 4,5 (60hz)
Sound proofing	•
Grinding adjustment type	Infinitesimal stepless
Quick Set	X
Quick Set Gear Tech	•
Steady Lock Grinder	•
Magnetic Control	Hopper
Thermal cut-out	•
Fan	•
Grinding thermal control	X
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	•
Touch display	•
Start	Portafilter
Shot counter	•

Available colours *Black, Steel, White**

Price List
E37K
€ 3.300,00

E37 T



Voltage	220-240V - 50-60 hz
Power	740 W
Rpm 50hz / 60hz	1480 / 1700
Net weight	16,3 kg
Gross weight	18,4 kg
Dimensions	212 x 309 x 645h mm
Burrs	Flat ø 83 TiN plated
Hopper capacity (g)	1600
Average output (g/s)	5 (50hz) / 6 (60hz)
Sound proofing	•
Grinding adjustment type	Infinitesimal stepless
Quick Set	X
Quick Set Gear Tech	•
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	•
Grinding thermal control	•
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	•
Touch display	•
Start	Portafilter
Shot counter	•

Available colours *Black, Steel, White**

Price List
E37T
€ 2.620,00

E37 SL



Voltage	220-240V - 50-60 hz
Power	500 W
Rpm 50hz / 60hz	1480 / 1700
Net weight	13,9 kg
Gross weight	16,0 kg
Dimensions	212 x 309 x 645h mm
Burrs	Flat ø 83
Hopper capacity (g)	1600
Average output (g/s)	4 (50hz) / 5 (60hz)
Sound proofing	•
Grinding adjustment type	Infinitesimal stepless
Quick Set	X
Quick Set Gear Tech	•
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	X
Grinding thermal control	X
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	•
Touch display	•
Start	Portafilter
Shot counter	•

Available colours *Black, Steel, White**

Price List
E37SL
€ 2.184,00

E37 S



Voltage	220-240V - 50-60 hz
Power	500 W
Rpm 50hz / 60hz	1480 / 1700
Net weight	12,3 kg
Gross weight	13,8 kg
Dimensions	212 x 309 x 557h mm
Burrs	Flat ø 83
Hopper capacity (g)	1600
Average output (g/s)	4 (50hz) / 5 (60hz)
Sound proofing	•
Grinding adjustment type	Infinitesimal stepless
Quick Set	X
Quick Set Gear Tech	•
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	X
Grinding thermal control	X
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	•
Touch display	•
Start	Portafilter
Shot counter	•

Available colours *Black, Steel, White**

Price List
E37S
€ 1.814,00

E37 R



Voltage	220-240V - 50-60 hz
Power	400 W
Rpm 50hz / 60hz	1380 / 1650
Net weight	11,6 kg
Gross weight	13,3 kg
Dimensions	212 x 309 x 547h mm
Burrs	Flat ø 64
Hopper capacity (g)	1600
Average output (g/s)	3 (50hz) / 3,6 (60hz)
Sound proofing	•
Grinding adjustment type	Infinitesimal stepless
Quick Set	•
Quick Set Gear Tech	X
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	X
Grinding thermal control	X
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	•
Touch display	•
Start	Portafilter
Shot counter	•

Available colours *Black, Steel, White**

Price List
E37R
€ 1.462,00

E37 J



Voltage	220-240V - 50-60 hz
Power	300 W
Rpm 50hz / 60hz	1380 / 1650
Net weight	9,7 kg
Gross weight	11,4 kg
Dimensions	212 x 309 x 432h mm
Burrs	Flat ø 64
Hopper capacity (g)	600
Average output (g/min)	270 (50hz) / 330 (60hz)
Sound proofing	•
Grinding adjustment type	Infinitesimal stepless
Quick Set	•
Quick Set Gear Tech	X
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	X
Grinding thermal control	X
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	X
Touch display	X
Start	Start button
Shot counter	X

Available colours *Black, Steel, White**

Price List
E37J
€ 1.142,00

E8 D



Retail Coffee Grinders

Voltage	220-240V - 50-60 hz
Power	740 W
Rpm 50hz / 60hz	1480 / 1700
Net weight	15,8 kg
Gross weight	17,9 kg
Dimensions	212 x 309 x 635h mm
Burrs	Flat ø 83 K110
Hopper capacity (g)	1600
Average output (g/min)	270 (50hz) / 330 (60hz)
Sound proofing	•
Grinding adjustment type	Infinitesimal stepless
Quick Set	•
Quick Set Gear Tech	X
Steady Lock Grinder	•
Magnetic Control	X
Thermal cut-out	•
Fan	•
Grinding thermal control	X
Dose setting	Digital
Dosing	Free & Pre-set
Adjustable portafilter holder	X
Touch display	X
Start	Start button
Shot counter	X

Available colours *Black, Steel, White**

Price List
E8D
1.446,00

Note: Additional voltage models available. Description: • - included X - not available

Average output is calculated at standard Italian Espresso Consistency (Italian Espresso basic numbers: 7g of ground coffee, 25-30 ml of espresso in 25-30s extraction time).

* Minimum quantities can apply.

ceado
coffee

SINGLE-DOSE GRINDERS


E5 SD



Single-Dose Coffee Grinders

Voltage	220-240V - 50-60 hz
Power	300 W
Rpm 50hz / 60hz	1380 / 1650
Net weight	8,5 kg
Gross weight	9,5 kg
Dimensions	178 x 212 x 380h mm
Burrs	Flat ø 64 Opalglide™ SD
Sound proofing	X
Grinding adjustment type	Micrometrical stepless
Quick Set	X
Quick Set Gear Tech	X
Steady Lock Grinder	●
Magnetic Control	X
Thermal cut-out	●
Fan	X
Grinding thermal control	X
Dose setting	X
Dosing	Free
Adjustable portafilter holder	WDT Cup holder
Touch display	X
Start	Pulse button
Shot counter	X
Available colours	Black, Steel*, White*

Price List
E5SD € 998,00



E37 SD



Single-Dose Coffee Grinders

Voltage	220-240V - 50-60 hz
Power	400 W
Rpm 50hz / 60hz	960 / 1150
Net weight	13,2 kg
Gross weight	14,7 kg
Dimensions	212 x 309 x 370h mm
Burrs	Flat ø 83 Opalglide™ SD
Sound proofing	●
Grinding adjustment type	Infinitesimal stepless
Quick Set	X
Quick Set Gear Tech	● Unlock System
Steady Lock Grinder	●
Magnetic Control	X
Thermal cut-out	●
Fan	X
Grinding thermal control	X
Dose setting	X
Dosing	Free
Adjustable portafilter holder	X
Touch display	X
Start	Pulse button
Shot counter	X
Available colours	Black, Steel, White *

Price List
E37SD € 2.158,00

E37 Z-NAKED



Z-Series Single-Dose Coffee Grinders

Voltage	220-240V - 50-60 hz
Power	740 W
Rpm 50hz / 60hz	960 / 1150
Net weight	19,5 kg
Gross weight	21,5 kg
Dimensions	215 x 355 x 400h mm
Burrs	Flat ø 83 DLC-coated
Sound proofing	X
Grinding adjustment type	Infinitesimal stepless
Quick Set	X
Quick Set Gear Tech	● Unlock System
Steady Lock Grinder	●
Magnetic Control	X
Thermal cut-out	●
Fan	●
Grinding thermal control	X
Dose setting	X
Dosing	Free
Adjustable portafilter holder	X
Touch display	X
Start	Pulse button
Shot counter	X

Price List
E37Z-NAKED € 4.000,00

Dedicated terms shall apply for "Z" series grinders. Please contact Ceado.

E37 Z-HERO



Voltage	220-240V - 50-60 hz
Power	740 W
Rpm 50hz / 60hz	600 - 1500
Net weight	22,0 kg
Gross weight	29,0 kg
Dimensions	215 x 355 x 400h mm
Burrs	Flat ø 83 DLC-coated
Sound proofing	X
Grinding adjustment type	Infinitesimal stepless
Quick Set	X
Quick Set Gear Tech	● Unlock System
Steady Lock Grinder	●
Magnetic Control	X
Thermal cut-out	●
Fan	●
Grinding thermal control	X
Dose setting	X
Dosing	Free
Adjustable portafilter holder	X
Touch display	X
Start	Toggle switch
Shot counter	X

Price List
E37Z-HERO € 5.100,00

Dedicated terms shall apply for "Z" series grinders. Please contact Ceado.

Z-Hero Station dimensions
170 x 170 x 205h mm

Note: Additional voltage models available. Description: ● - included X - not available
Average output is calculated at standard Italian Espresso Consistency (Italian Espresso basic numbers: 7g of ground coffee, 25-30 ml of espresso in 25-30s extraction time).
* Minimum quantities can apply.

ceado
coffee ●

Standard sales conditions

Prices are ex works (as per ICC INCOTERMS 2010). PACKING: in cardboard boxes included. DELIVERY TIME: 30 days from order confirmation. TRANSPORT: the supply is made ex CEADO SRL works. Transport is at the purchasing party's expenses and risk. These terms are valid also in the event that CEADO SRL undertakes to provide for the transport through a shipper on behalf of the purchasing party. Please always ask for price confirmation, as CEADO SRL reserves the right to change models, data and prices included into this file in its sole discretion.

Condizioni generali di vendita

I prezzi si intendono FRANCO NOSTRO STABILIMENTO, IVA ESCLUSA. Imballo compreso nel prezzo. Consegna 30 giorni dall'accettazione dell'ordine. TRASPORTO: la fornitura è effettuata franco stabilimento. Il rischio ed il costo del trasporto sono posti a carico della parte acquirente anche nel caso in cui la CEADO SRL si incarichi di effettuare il trasporto a mezzo spedizioniere per conto della parte acquirente. Si prega di chiedere sempre conferma dei prezzi di vendita in quanto la CEADO SRL si riserva il diritto di modificare i modelli, i dati e i prezzi contenuti nel presente fascicolo senza alcun obbligo di preavviso.

Παραγγελίες - Διαθεσιμότητα
TS COFFEE OE
Λ.Θηβών 262, Αιγάλεω
12241, ΑΤΤΙΚΗΣ
2109609330
sales@tscoffee.gr

Certifications list

